

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	40	(dc or "d.c") and display\$3 and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4) and (rectif\$5 with (current or currents)) and (generator\$1 or (backup near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:23
L3	40	(dc or "d.c") and display\$3 and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4) and (rectif\$5 with (current or currents)) and (generator\$1 or ((backup or emergency) near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:34
L4	15	(power near (loss or fail\$6)) and display\$3 and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4) and (rectif\$5 with (current or currents)) and (generator\$1 or ((backup or emergency) near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:34
L5	989129	(simulat\$6 with (power or electrical) with (fail\$5 or outage\$1 or loss\$)) and display\$3 (generator\$1 or ((backup or emergency) near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:34
L6	15	(power near (loss or fail\$6)) and display\$3 and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4) and (rectif\$5 with (current or currents)) and (generator\$1 or ((backup or emergency) near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:25
L7	40	(dc or "d.c") and display\$3 and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4) and (rectif\$5 with (current or currents)) and (generator\$1 or ((backup or emergency) near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:34
L9	240	(simulat\$6 with (power or electrical) with (fail\$5 or outage\$1 or loss\$)) and display\$3 and (generator\$1 or ((backup or emergency) near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:36

L10	71	(simulat\$6 with (power or electrical) with (fail\$5 or outage\$1 or loss\$)) and display\$3 and (generator\$1 or ((backup or emergency) near power)) and remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:53
L11	71	(simulat\$6 with (power or electrical or electricity) with (fail\$5 or outage\$1 or loss\$)) and display\$3 and (generator\$1 or ((backup or emergency) near power)) and remote\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:55
L12	210	(simulat\$6 with (power or electrical or electricity) with (fail\$5 or outage\$1 or loss\$)) and display\$3 and (generator\$1 or ((backup or emergency) near power)) and monitor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:00
L13	12	(simulat\$6 with (power or electrical or electricity) with (fail\$5 or outage\$1 or loss\$)) and display\$3 and ((backup or emergency) near (power or generator\$1)) and monitor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:01
L14	40	(simulat\$6 with (power or electrical or electricity) with (fail\$5 or outage\$1 or loss\$)) and display\$3 and ((backup or emergency) near2 (power or generator\$1)) and monitor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:13
L15	39	(simulat\$6 with (power or electrical or electricity) with (fail\$5 or outage\$1 or loss\$)) and display\$3 and ((backup or emergency) near2 (power or generator\$1)) and remote\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:06
L16	2	(bellsouth or (bell adj south)).asn. and (monitor\$5 with (power or generator\$1) with remote\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:22
L17	3	JAMES-C-PAT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:22
L20	46	"4977529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:55

L21	30	I20 and (simulat\$6 with (fail\$5 or outage\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:56
L22	1	I20 and (simulat\$6 with (fail\$5 or outage\$1) with (power or electric\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:05
L24	1459	(702/188).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:08
L25	0	"I24" and (simulat\$6 with (power or electrical or electricity) with (fail\$5 or outage\$1 or loss\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:02
L26	289	"I24" and plant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:02
L27	315	"I24" and plant\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:02
L28	184924	"I24" and display\$3 or ((user\$1 or operator\$1) near2 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:03
L29	217	"I24" and (display\$3 or (user\$1 or operator\$1) near2 interfac\$4) and (dc or "d.c")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:04
L30	1	"I24" and (display\$3 or (user\$1 or operator\$1) near2 interfac\$4) and ((dc or "d.c") with plant\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:04
L32	32	(simulat\$6 with ((power or electrical or electricity) near (fail\$5 or outage\$1 or loss\$))) and display\$3 and remote\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:10

L33	84	(simulat\$6 with ((power or electrical or electricity) near (fail\$5 or outage\$1 or loss\$))) and display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:11
L34	5	(simulat\$6 with ((power or electrical or electricity) near (fail\$5 or outage\$1 or loss\$))) and (graphical near2 interface\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:11
L36	6	(power near (loss or fail\$6)) and display\$3 and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4) and (rectif\$5 with (current or currents)) and ((backup or emergency) near (power or generator\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:25
L37	7	(power near (loss or fail\$6)) and display\$3 and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4) and (rectif\$5 with (current or currents)) and ((backup or emergency) near2 (power or generator\$1 or battery or batteries))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:27
L38	20	display\$3 and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4) and (rectif\$5 with (current or currents)) and ((backup or emergency) near2 (power or generator\$1 or battery or batteries))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:28
L39	774	(remote\$3 with monitor\$5 with (power or generator\$1 or plant\$1)) and server\$1 and network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:32
L40	5	(remote\$3 with monitor\$5 with (power or generator\$1 or plant\$1)) and server\$1 and network\$1 and (simulat\$6 with (power or electric\$3) with (fail\$3 or outage\$1 or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:37

L41	32	(monitor\$5 with (power or generator\$1 or plant\$1)) and server\$1 and network\$1 and (simulat\$6 with (power or electric\$3) with (fail\$3 or outage\$1 or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:34
L42	12	(remote\$3 with monitor\$5 with (power or generator\$1 or plant\$1)) and server\$1 and network\$1 and (rectif\$6 with (current or currents)) and (rectif\$6 with volt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:40
L43	67	(monitor\$5 with (power or generator\$1 or plant\$1)) and server\$1 and network\$1 and (rectif\$6 with (current or currents)) and (rectif\$6 with volt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:01
L44	596	(702/57).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:02
L45	543	(702/60).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:02
L46	241	(702/61).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:02
L47	209	(702/62).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:02
L48	286	(702/63).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:02
L49	464	(702/64).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:02

L50	354	(702/65).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:03
L52	638	(702/108).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:03
L54	2952	I44 I45 I46 I47 I48 I49 I50 I52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:04
L55	7	I54 and (simulat\$6 with (fail\$5 or outage\$1) with (power or electric\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:05
L58	2	(702/188.ccls.) and (plant\$1 and simulat\$6).clm.	US-PGPUB	OR	OFF	2005/11/04 12:10
L60	1	(702/188.ccls.) and (plant\$1 and rectif\$4).clm.	US-PGPUB	OR	OFF	2005/11/04 12:11
L61	11	(702/188.ccls.) and (plant\$1 and interfac\$5).clm.	US-PGPUB	OR	OFF	2005/11/04 12:11
S1	82	(dc with plant\$1) and (monitor\$4 with dc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:42
S2	2	2002/0134083	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:49
S3	0	2004/0107415	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:49
S4	2	"20040107415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:49
S5	2	"20020134083"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:51

S6	388	((nuclear or electric\$2 or power) near plant\$1) or powerplant\$1) and (graphic\$2 near2 interfac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:55
S7	308	((nuclear or electric\$2 or power) near plant\$1) or powerplant\$1) and (graphic\$2 near2 interfac\$5) and network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:53
S8	208	((nuclear or electric\$2 or power) near plant\$1) or powerplant\$1) and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:54
S9	266	((nuclear or electric\$2 or power) near (plant\$1 or facilit\$4)) or powerplant\$1) and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:55
S10	503	((nuclear or electric\$2 or power) near (plant\$1 or facilit\$4)) or powerplant\$1) and (graphic\$2 near2 interfac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:55
S11	385	((nuclear or electric\$2 or power) near (plant\$1 or facilit\$4)) or powerplant\$1) and (graphic\$2 near2 interfac\$5) and network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:55
S12	266	((nuclear or electric\$2 or power) near (plant\$1 or facilit\$4)) or powerplant\$1) and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:56
S13	266	((nuclear or electric\$2 or power) near (plant\$1 or facilit\$4)) or powerplant\$1) and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1 and ((plant\$1 or facilit\$4) with (plant\$1 or facilit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:57
S15	54	((nuclear or electric\$2 or power) near (plant\$1 or facilit\$4)) or powerplant\$1) and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1 and ((plant\$1 or facilit\$4) with network\$1) and volt\$3 and (current or currents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:08

S16	2	"6839597"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:31
S17	4	"6853959"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:34
S18	2	"20030098683"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:35
S19	9	"6591296"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:43
S20	4	"2004102872"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:44
S21	0	"2004/102872"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:43
S22	46	"4977529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:58
S23	14	"6067030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:01
S24	22	(dc with plant\$1) and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:09
S25	22	((dc or "d.c") with plant\$1) and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:24

S26	31	((dc or "d.c") with plant\$1) and (display\$3) and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:20
S27	550	((dc or "d.c") with (power\$1 or battery or batteries or electric\$4 or energy)) and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:25
S28	78	((dc or "d.c") with (power\$1 or battery or batteries or electric\$4 or energy)) and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and rectif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:25
S29	39	((dc or "d.c") with (power\$1 or battery or batteries or electric\$4 or energy)) and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:25
S30	6	((dc or "d.c") with (power\$1 or battery or batteries or electric\$4 or energy)) and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4) and (rectif\$5 with (current or currents))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:30
S31	2	((dc or "d.c") with (generator\$1)) and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4) and (rectif\$5 with (current or currents))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:30
S32	3	((dc or "d.c") with (generator\$1 or motor\$1)) and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4) and (rectif\$5 with (current or currents))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:30

S33	8	(dc or "d.c") and (graphic\$2 near2 interfac\$5) and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4) and (rectif\$5 with (current or currents))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:31
S34	88	(dc or "d.c") and display\$3 and network\$1 and server\$1 and network\$1 and volt\$3 and (current or currents) and (rectif\$5 with volt\$4) and (rectif\$5 with (current or currents))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 06:43